


## ABSTRACT

Fungicidal pyrimidine derivatives and the use as a fungicide of the compounds of formula (1):



(1)

wherein R<sup>1</sup> is H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>3</sub>-C<sub>6</sub>cycloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, phenyl, pyridinyl or azolyl groups, (being optionally substituted by one or more substituents); or N(R<sup>4</sup>)C(O)R<sup>5</sup>, R<sup>2</sup> is polyfluoroalkyl, R<sup>3</sup> is fluorine, chlorine, bromine or iodine; ethenyl or ethynyl (being optionally substituted by one or more of halogen), R<sup>4</sup> and R<sup>5</sup> are, independently, H, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl or C<sub>2</sub>-C<sub>6</sub>alkynyl groups, (being optionally substituted by one or more of halogen or cyano); or R<sup>4</sup> and R<sup>5</sup> can join together to form a 5 or 6-membered ring, Q is a heteroaromatic ring selected from the following ring system; imidazol-1-yl, pyrazol-1-yl, 1,2,3-triazol-1-yl, 1,2,3-triazol-2-yl, 1,2,4-triazol-1-yl, 1,2,4-triazol-4-yl, benzimidazol-1-yl or tetrazol-5-yl groups, (being optionally substituted by one or more of substituents).